



IAPMO UNIFORM EVALUATION SERVICE, LLC

• 4755 E. PHILADELPHIA STREET • ONTARIO, CALIFORNIA 91761 • USA •

“Certification Marks,” as described in paragraph 2 of the Licensing Agreement, shall mean the following for all new reports (existing report holders may continue to utilize an older version of the certification mark, but are encouraged to change to the newer version at their earliest convenience):

The use of one of the IAPMO UES certification marks or UER-Report Number may be utilized on any product receiving an Evaluation Report or Listing. Various certification mark formats may be downloaded at:

<https://www.iapmoes.org/uniform/building-products-evaluation-program/evaluation-service-marks>

Notes:

1. IAPMO UES neither approves nor recommends any product or material or designs, and therefore only the phrase “Evaluated By” or “Listed By” followed by the appropriate UER-Report Number or Mark of Conformity is permissible [paragraph 9 of Licensing Agreement ES-019].
2. Size and Appearance: IAPMO UES shield marks should be 100% visible (not cropped), maintain the aspect ratio (not skewed), and maintain vertical orientation (not rotated). It is recommended that the shield should not be less than 0.25” in height. However, the size may vary if it maintains its legibility. Letters within the shield should be legible. The ® or “TM” symbols must be visible and positioned on the bottom right-hand corner outside the shield, they are not required to be in proportion with the certification mark but must be large enough to be legible.
3. Color: IAPMO UES marks are generally printed in either 100% black or 100% Pantone 7469 or reversed in white when against a dark background; however, usage consistent with a company’s accepted color scheme is also allowed.
4. When applying marks directly on products may not be possible due to space and design limitations, please contact your IAPMO UES engineer for further guidance.

	<p>IAPMO Evaluation Service Mark of Conformity <i>(For Existing Reports who already utilize this Mark)</i></p>
	<p>IAPMO Uniform Evaluation Service Mark of Conformity <i>(For most New Reports)</i></p>
<p>GREEN</p>	<p>IAPMO ES GREEN Mark of Conformity <i>(When applicable)</i></p>